



POTENZA[™] RE050A

Potenza RE050A features a tread pattern that promotes rapid water evacuation, variable dimensions in the tread blocks, a smooth shape to help reduce noise, and UNI-T plus silica-enhanced compound for outstanding wet and dry traction. Put these Potenza tires through the paces, and you'll discover what ultra-high performance really means.

WARRANTY SUMMARY

0 MILE LIMITED TREADWEAR WARRANTY†
PLATINUM PACT LIMITED WARRANTY††
BUY & TRY 30 DAY GUARANTEE‡



†Prorated replacement if warranted mileage not attained; actual tread life may vary. Certain restrictions and limitations may apply. Ask your retailer for details.

††Replacement at no charge (excluding taxes and disposal fees) if your Bridgestone tire becomes unusable for any reason within the manufacturer's control for up to 3 years from date of purchase or 4 years from date of manufacture, whichever is to the owner's advantage. Certain restrictions and limitations may apply.

‡Original proof of purchase required to take advantage of the 30 Day Test Drive. Tires must be returned within 30 days of purchase. Does not apply to tires supplied as original equipment on new vehicles.



Specially Shaped Block Edges with Slanted Mid Grooves
Enhances wet performance

Solid Circumferential Center Rib
Helps increase response and control

Stabilized Center Blocks with Tie Bar Rib
Improves cornering

Wide Circumferential Grooves
Improves wet traction

Alternating Block Dimensions and Block Shape
Helps reduce noise

Potenza RE050A TIRE SPECIFICATIONS

Size	Service Description	Load Range	Speed Rating	Sidewall Styling	Article Number	Approved Rim Widths	Measuring Rim Widths	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth (32")	RPM	Tire Weight	UTQG	Limited Mileage Warranty+
225/50R17	94W		W	BL	118839	6.0-8.0	7.0	25.9	9.2	11.9	9	804	25	140 A A	
205/45R17	84W		W	BL	112039	6.5-7.5	7.0	24.3	8.1	11.3	10	857	20	140 A A	
225/50R18	95W		W	BL	095328	6.0-8.0	7.0	26.9	9.2	12.4	10	774	28	140 A A	
215/45R18	93Y	XL	Y	BL	063249	7.0-8.0	7.0	25.7	8.4	11.9	10	811	24	140 A A	
215/45R18	89Y		Y	BL	071715	7.0-8.0	7.0	25.7	8.4	11.9	10	811	24	140 A A	
225/45R18	91W		W	BL	112073	7.0-8.5	7.5	25.9	8.9	12.0	10	804	27	140 A A	
225/45R18	91W		W	BL	126778	7.0-8.5	7.5	26.0	8.9	12.0	10	801	26	140 A A	
235/45ZR18	94Y)		Y)	BL	090398	7.5-9.0	8.0	26.4	9.3	12.2	9	789	26	140 A A	
245/45R18	96V		V	BL	120692	7.5-9.0	8.0	26.7	9.6	12.3	11	780	29	140 A A	
245/45R18	96W		W	BL	095345	7.5-9.0	8.0	26.7	9.6	12.3	10	780	28	140 A A	
245/45R18	96W		W	BL	112090	7.5-9.0	8.0	26.6	9.6	12.3	10	783	28	140 A A	
255/45R18	99Y		Y	BL	025900	8.0-9.5	8.5	27.0	10.0	12.5	10	772	29	140 A A	
255/45R18	99Y		Y	BL	071868	8.0-9.5	8.5	27.2	10.0	12.5	11	766	29	140 A A	
275/45R18	103Y		Y	BL	071885	8.5-10.5	9.0	27.8	10.8	12.7	11	749	31	140 A A	
225/40R18	92Y	XL	Y	BL	112141	7.5-9.0	8.0	25.0	9.1	11.7	10	833	23	140 A A	
225/40R18	92Y	XL	Y	BL	065204	7.5-9.0	8.0	25.1	9.1	11.7	10	830	24	140 A A	
245/40R18	93W		W	BL	071834	8.0-9.5	8.5	25.7	9.8	12.0	10	811	29	140 A A	
245/40R18	93Y		Y	BL	112158	8.0-9.5	8.5	25.7	9.8	12.0	11	811	25	140 A A	
245/40R18	93Y		Y	BL	110543	8.0-9.5	8.5	25.7	9.8	12.0	11	811	26	140 A A	
255/40R18	99Y	XL	Y	BL	117921	8.5-10.0	9.0	26.1	10.2	12.1	9	798	28	140 A A	
255/40ZR18	95Y)		Y)	BL	065221	8.5-10.0	9.0	26.1	10.2	12.1	11	798	27	140 A A	
275/40ZR18	99Y)		Y)	BL	090415	9.0-11.0	9.5	26.6	10.9	12.3	8	783	32	140 A A	
295/35ZR18	99Y)		Y)	BL	065238	10.0-11.5	10.5	26.1	11.9	12.1	10	798	31	140 A A	
225/45R19	92W		W	BL	112906	7.0-8.5	7.5	26.9	8.9	12.6	10	774	27	140 A A	
225/45R19	96W	XL	W	BL	132728	7.0-8.5	7.5	27.0	8.9	12.6	10	772	27	140 A A	
225/40R19	89Y		Y	BL	056500	7.5-9.0	8.0	26.1	9.1	12.2	8	798	26	140 A A	
225/40R19	93Y	XL	Y	BL	119621	7.5-9.0	8.0	26.1	9.1	12.2	10	798	25	140 A A	
225/40R19	89W		W	BL	126795	7.5-9.0	8.0	26.1	9.1	12.2	10	798	26	140 A A	
225/40R19	89Y		Y	BL	133170	7.5-9.0	8.0	26.0	9.1	12.2	10	801	26	140 A A	
235/40ZR19	92Y)		Y)	BL	038089	8.0-9.5	8.5	26.4	9.5	12.3	11	790	26	140 A A	
245/40R19	94W		W	BL	120675	8.0-9.5	8.5	26.8	9.8	12.5	11	777	28	140 A A	
245/40R19	94W		W	BL	112923	8.0-9.5	8.5	26.8	9.8	12.5	10	777	29	140 A A	
245/40R19	94W		W	BL	056483	8.0-9.5	8.5	26.7	9.8	12.5	8	780	29	140 A A	
245/40R19	94Y		Y	BL	056517	8.0-9.5	8.5	26.7	9.8	12.5	9	780	29	140 A A	
245/40R19	98W	XL	W	BL	132745	8.0-9.5	8.5	26.8	9.8	12.5	10	777	27	140 A A	
245/40R19	94W		W	BL	133357	8.0-9.5	8.5	26.8	9.8	12.5	10	777	28	140 A A	
245/40ZR19	94Y)		Y)	BL	133952	8.0-9.5	8.5	26.7	0.0	0.0	10	780	25	140 A A	
245/40R19	94Y		Y	BL	133187	8.0-9.5	8.5	26.7	9.8	12.5	10	780	29	140 A A	
285/40ZR19	103Y)		Y)	BL	133969	9.5-11.0	10.0	27.8	0.0	0.0	10	749	31	140 A A	
225/35ZR19	84Y)		Y)	BL	063776	7.5-9.0	8.0	25.1	9.5	12.0	10	830	28	140 A A	
255/35ZR19	96Y	XL	Y	BL	024183	8.5-10.0	9.0	26.2	10.2	12.2	11	795	28	140 A A	
255/35R19	96Y	XL	Y	BL	119638	8.5-10.0	9.0	26.0	10.2	12.2	10	801	27	140 A A	
255/35ZR19	92Y)		Y)	BL	069386	8.5-10.0	9.0	26.2	10.2	12.2	11	795	27	140 A A	
265/35R19	94W		W	BL	071851	9.0-10.5	9.5	26.3	10.7	12.3	11	792	32	140 A A	
275/35ZR19	96Y)		Y)	BL	038106	9.0-11.0	9.5	26.5	10.9	12.4	10	785	30	140 A A	
275/35R19	96W		W	BL	133374	9.0-11.0	9.5	26.6	10.9	12.4	10	783	32	140 A A	
285/35ZR19	99Y)		Y)	BL	063793	9.5-11.0	10.0	26.7	11.4	12.5	8	780	39	140 A A	
285/30ZR19	98Y	XL	Y	BL	024200	9.5-10.5	10.0	26.0	11.4	12.1	11	801	30	140 A A	
305/30ZR19	98Y)		Y)	BL	069403	10.5-11.5	11.0	26.2	12.3	12.3	10	795	32	140 A A	
265/35R20	99Y	XL	Y	BL	112022	9.0-10.5	9.5	27.2	10.7	12.8	10	766	29	140 A S	
245/35R21	96W	XL	W	BL	113348	9.5-11.0	10.0	27.8	9.8	13.1	10	749	28	140 A A	
255/30R21	93W	XL	W	BL	113331	8.5-9.5	9.0	27.0	10.2	12.8	10	772	28	140 A A	
285/30R21	100W	XL	W	BL	113314	9.5-10.5	10.0	27.8	11.4	13.1	10	749	30	140 A A	
295/25R21	96W	XL	W	BL	113297	10.0-11.0	10.5	26.8	11.9	12.7	10	777	32	140 A A	
255/30R22	95W	XL	W	BL	079994	8.5-9.5	9.0	28.1	10.2	13.3	10	741	28	140 A A	
265/30R22	97W	XL	W	BL	086318	9.0-10.0	9.5	28.3	10.7	13.4	10	736	29	140 A A	
295/25R22	97W	XL	W	BL	080062	10.0-11.0	10.5	27.8	11.9	13.2	10	749	32	140 A A	
P225/50R18	94W		W	BL	062994	6.0-8.0	7.0	26.9	9.2	12.4	10	774	29	140 A A	
P255/45R18	99V		V	BL	030490	8.0-9.5	8.5	27.1	10.0	12.5	10	769	33	140 A A	
235/40ZR18	91Y)		Y)	BL	061209	8.0-9.5	8.5	25.5	9.5	11.8	10	817	25	140 A A	
265/40ZR18	101Y)	XL	Y)	BL	061226	9.0-10.5	9.5	26.3	10.7	12.2	10	792	30	140 A A	
295/35ZR18	99Y)		Y)	BL	068638	10.0-11.5	10.5	26.2	11.9	12.1	10	795	32	140 A A	
235/35ZR19	87Y)		Y)	BL	072888	8.0-9.5	8.5	25.5	9.5	12.0	10	817	24	140 A A	
265/35ZR19	94Y)		Y)	BL	091350	9.0-10.5	9.5	26.3	10.7	12.3	10	792	29	140 A A	
295/30ZR19	100Y	XL	Y	BL	088715	10.0-11.0	10.5	26.1	11.9	12.2	10	798	32	140 A A	
305/30ZR19	102Y)	XL	Y)	BL	072905	10.5-11.5	11.0	26.3	12.3	12.3	9	792	34	140 A A	
235/40ZR18	91Y)		Y)	BL	127713	8.0-9.5	8.5	25.4	9.5	11.8	10	820	24	140 A A	
265/40ZR18	101Y)	XL	Y)	BL	127730	9.0-10.5	9.5	26.2	10.7	12.2	10	795	29	140 A A	
295/35ZR18	99Y)		Y)	BL	127747	10.0-11.5	10.5	26.0	11.9	12.1	10	801	32	140 A A	
235/35ZR19	87Y)		Y)	BL	127764	8.0-9.5	8.5	25.4	9.5	12.0	10	820	24	140 A A	
295/30ZR19	100Y)	XL	Y)	BL	127781	10.0-11.0	10.5	26.0	11.9	12.2	10	801	32	140 A A	
305/30ZR19	102Y)	XL	Y)	BL	127798	10.5-11.5	11.0	26.1	12.3	12.3	10	798	31	140 A A	
255/40R18	95W		W	BL	119519	8.5-10.0	9.0	26.1	10.2	12.1	11	798	26	140 A A	
285/35R18	97W		W	BL	119536	9.5-11.0	10.0	26.1	11.4	12.0	11	798	29	140 A A	
245/35ZR19	89Y)		Y)	BL	000927	8.0-9.5	8.5	25.7	9.8	12.1	9	810	24	140 A A	
345/35ZR19	110Y)		Y)	BL	000944	11.5-13.5	12.0	28.6	13.8	13.2	8	728	35	140 A A	
225/45R18	91W		W	BL	126642	7.0-8.5	7.5	25.9	8.9	12.0	10	803	26	140 A A	
245/40R19	94Y		Y	BL	140548	8.0-9.5	8.5	26.7	9.8	12.5	10	779	29	140 A A	
285/40R19	103Y		Y	BL	140565	9.5-11.0	10.0	28.0	11.4	12.9	10	744	28	140 A A	
255/35R19	96Y	XL	Y	BL	142078	8.5-10.0	9.0	26.0	10.2	12.2	10	801	28	140 A A	
245/35ZR20	91Y)		Y)	BL	142452	8.0-9.5	8.5	26.8	9.8	12.6	11	778	26	140 A A	
285/35ZR20	100Y)		Y)	BL	142486	9.5-11.0	10.0	27.9	11.4	13.0	9	747	31	140 A A	
245/40R20	95W		W	BL	149762	8.0-9.5	8.5	27.7	9.8	13.0	10	752	26	140 A A	
225/50R18	95W		W	BL	000545	6.0-8.0	7.0	26.9	9.2	12.4	10	775	29	140 A A	
245/45R18	96W		W	BL	000562	7.5-9.0	8.0	26.7	9.6	12.3	10	782	29	140 A A	



BRIDGESTONE AMERICAS TIRE OPERATIONS, LLC
535 MARRIOTT DRIVE, NASHVILLE, TN 37214
615.391.0088
COPYRIGHT 2004 - 2012
ALL RIGHTS RESERVED
WWW.BRIDGESTONETIRE.COM



Size	Service Description	Load Range	Speed Rating	Sidewall Styling	Article Number	Approved Rim Widths	Measuring Rim Widths	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth (32")	RPM	Tire Weight	UTQG
205/45R17	84V		V	BL	149694	7.5-7.0	6.5	24.3	8.1	11.3	10	859	22	140 A A

†Prorated replacement if warranted mileage not attained; actual tread life may vary. Certain restrictions and limitations may apply. Ask your retailer for details.



BRIDGESTONE AMERICAS TIRE OPERATIONS, LLC
 535 MARRIOTT DRIVE, NASHVILLE, TN 37214
 615.391.0088
 COPYRIGHT 2004 - 2012
 ALL RIGHTS RESERVED
 WWW.BRIDGESTONETIRE.COM

